

Welcome to the UCLA Sleep Disorders Center

Our Sleep Center Website is: <http://sleepcenter.ucla.edu>

Your sleep study appointment is scheduled for **8:30 PM**. Please feel free to arrive up to **15** minutes early for your appointment. Patients arriving after **8:45 PM** may need to be rescheduled. If you need to cancel your appointment, kindly call 48 hours in advance.

Please bring your insurance card(s) and/or insurance authorization number(s) if applicable.

Insurance: authorizations must be processed prior to scheduling a sleep study appointment through your referring Doctors office. Even though you will be spending the night in the sleep center, the sleep study is considered an outpatient procedure.

For questions about insurance coverages, copayments, or billing, please contact your insurance representative to determine your personal coverage. Your insurance carrier will be billed for technical (the test) and professional (the interpretation) services; however, services not covered or remaining balances will be your financial responsibility.

Enclosed you will find the following:

- Directions to the Sleep Disorders Center
- Parking information
- How to prepare and what to bring to your sleep study
- What to expect during your sleep study
- A sleep questionnaire

Please complete every page of the attached packet and bring it with you to your appointment.

Our department has earned an outstanding reputation in subspecialty care of sleep disorders due to a high level of clinical expertise, academic achievement and innovative research. Our most important mission is to provide each patient with the best sleep medicine health care available by combining our extensive experience with the latest advances in the treatment of sleep disorders. Our faculty and staff work together as a team to bring each patient the highest quality of care in a warm, friendly and professional environment.

We look forward to caring for you.

Sleep Center Staff

**Directions to the Clinical and Translational Research Center
and
UCLA Sleep Disorders Center**

Directions from 405 Freeway

- Take Wilshire Blvd East exit
- Turn left at Westwood Blvd
- Turn right at Le Conte Ave (at the Chick-fil-a)
- Turn left on Tiverton Ave (Ralph's will be on the right)

Directions from Downtown

- Take the 10 Freeway West towards Santa Monica
- Exit on to the 405-N
- Take the Wilshire Blvd East exit
- Turn Left at Westwood Blvd
- Turn right at Le Conte Ave (at the Chick-fil-a)
- Turn left on Tiverton Ave (Ralph's will be on the right)

- Stay **STRAIGHT** to enter the **TUNNEL** towards the Patient and Visitor Parking (Lot 18 & 27)



- Turn **RIGHT** at the stop sign to enter the Patient and Visitor Parking Lot 27 for CTRC/Sleep Center Parking.



Sleep Disorders Center
10833 Le Conte Avenue, B Level
Los Angeles, CA 90095
1-310-26SLEEP (7-5337)

- **Once parked, go to the nearest pay station.**
 - ❖ **Hourly rate: (Day time studies)**
 - One hour **\$3**
 - Two hours **\$6**
 - Three hours **\$9**
 - ❖ **Daily rate: **\$12** (Overnight Studies)**
- **Follow instructions on key pad.**
- **Pay using EXACT cash amount or with a credit card.**
- Additionally, pay station **only** accepts **\$1 & \$5** and **DOES NOT** give change in the form of cash or credit.
- **Once finished, Display Permit on DASH**



- **Proceed to the MAIN ENTRANCE of CTRC/Sleep Disorder Center.**



- **Once inside both doors, ring the doorbell on the left hand side.**

- ❖ **Note: If you arrive before 8:00pm, please have a seat in our waiting room; Our Sleep Technologists will begin checking you in at 8:15pm.**



How to Prepare and What to Bring

How to Prepare

- Please arrive with clean, dry, hair and refrain from using any products such as hair spray, oils, or dyes.
- Please note that sensors will need to be placed on the scalp during the study, so any type of artificial hair may interfere with sensor placement.
- Nail polishes and false nails are not advised.

Items to Bring

- Medications – please bring your medications for technologist are unable to provide medications during your study.
- Pajamas or a two-piece outfit to wear to sleep
- Toiletries (toothbrush, toothpaste, contacts solution, etc.)
- Shoes, slippers or sandals to go to the bathroom
- Favorite pillow, blanket, or other items used at home for sleep

- If you wear a CPAP or Bi-level mask at home, you may bring it with you.
- If you use a dental device to treat sleep apnea, please bring it with you.

For patients scheduled for additional recordings the following day:

Please plan on bringing food for breakfast and lunch with you. Once you are set up for your sleep study at night, you will not be able to leave the premises to purchase food. We do have a refrigerator to store your meals and a microwave; please ask for assistance.

MRN:

Patient Name:

(Patient Label)

What to Expect During Your Study

We strive to make your stay at the Sleep Center as comfortable as possible, but your patience and understanding during the night is also greatly appreciated. While we strive to make this experience as comfortable as possible, please be advised that this is a hospital-based facility. Our beds are single hospital style beds complete with bedrails to provide extra safety for our patients. Each room has its own sink, mirror, and television for your convenience.

Upon arrival at your scheduled appointment time, you will be checked in by one of the technologists and shown to your room.

Once in your room, your technologist will discuss the specifics of your personal sleep study and collect any additional information if needed. Typically, the technologist will begin the process of the sleep study between 8:45 pm to 10:00 pm, depending upon patient arrivals and the study type your specific start time may vary slightly. Except for using the restroom, you will be required to stay in bed resting quietly during the study, even if you are awake.

The application of the sensors and monitors is painless and safe. Hypoallergenic products are used during the sleep study, but please advise your technologist of any allergies or sensitivities prior to the start of the study. We will be monitoring your brainwaves, breathing, heart rhythm, oxygen saturation, and muscle movements. Occasionally, once the study has started, a technologist may need to enter the room to reposition or replace sensors. For some patients, PAP therapy may be part of the sleep study, but your technologist will advise you if this is part of your study prior to starting. The technologist who removes the sensors at the end of the study may not be the same person who applied them. Normal wake-up time is 5:30AM. You will be able to leave by 6:00AM the following morning if not scheduled for additional recordings.

Video and audio monitoring is performed during the sleep study. Recordings are used by the Sleep Specialist Physicians ONLY. These recordings are not available for transfer or copy. **Please refrain from taking any personal photos or videos once in the testing area. We thank you in advance for respecting the privacy of other patients and sleep center staff.**

The technologists are highly trained and knowledgeable; however, they may not give you any results or other information regarding your sleep study or medical conditions. Sleep studies are highly specialized medical procedures that require time and care to perform and analyze. Results of the study will typically be available within 10 business days or less. Please contact the physician who ordered your sleep study for follow-up and results. If you wish to obtain a copy of your report, please contact the Medical Records Department at 310-825-6022.

MRN: _____
Patient Name: _____

(Patient Label)

OUTPATIENT NOTES
UCLA Sleep Disorders Center

NAME: _____ **GENDER:** Male Female **AGE:** _____

Height: _____

Weight: _____

MARITAL STATUS:

- Single Married Divorced Widow(er) Separated Living together

OCCUPATION: _____

SLEEP QUESTIONNAIRE

My main sleep complaint is:

- Trouble sleeping at night Being sleepy all day
 Unwanted behaviors during sleep, explain: _____

Other (explain): _____

USUAL SLEEP HABITS:

Bedtime: _____ am pm Number of awakenings: _____

Wake time: _____ am pm Number of naps/week: _____

Duration of sleep problem: _____

DIRECTIONS: Check any statement which **currently** applies to you:

- | | |
|--|---|
| <input type="checkbox"/> unrefreshing | <input type="checkbox"/> dreams or hallucinations while awake |
| <input type="checkbox"/> naps dream a lot | <input type="checkbox"/> sudden feeling of weakness in knees or legs |
| <input type="checkbox"/> was a hyperactive child or | <input type="checkbox"/> difficulty waking up in the morning |
| <input type="checkbox"/> teenager use sleeping pills | <input type="checkbox"/> function best in the evening |
| <input type="checkbox"/> bed partner disturbs sleep | <input type="checkbox"/> don't feel tired at bedtime |
| <input type="checkbox"/> heart pain during the night | <input type="checkbox"/> shift-worker or night work |
| <input type="checkbox"/> awaken with back pain | <input type="checkbox"/> experience restlessness, tingling, or crawling in legs |
| <input type="checkbox"/> restless sleeper | <input type="checkbox"/> sleep talking as adult |
| <input type="checkbox"/> trouble falling asleep | <input type="checkbox"/> banging, twisting or shaking head in sleep |
| <input type="checkbox"/> awaken long before it is necessary | <input type="checkbox"/> sudden awakening with intense anxiety or dread |
| <input type="checkbox"/> sleep better in unfamiliar setting | <input type="checkbox"/> grind teeth in sleep |
| <input type="checkbox"/> light sleeper | <input type="checkbox"/> sleepwalking as an adult |
| <input type="checkbox"/> trouble returning to sleep | <input type="checkbox"/> bedwetting in adulthood |
| <input type="checkbox"/> stop breathing during sleep | <input type="checkbox"/> awaken with heartburn |
| <input type="checkbox"/> gained more than 10 lbs in the last year | <input type="checkbox"/> cough up sputum or mucus at night |
| <input type="checkbox"/> unable to sleep in a flat position | <input type="checkbox"/> kicking or twitching during sleep |
| <input type="checkbox"/> jaws ache in morning | <input type="checkbox"/> legs jerk during sleep |
| <input type="checkbox"/> bitter or sour mouth taste in | <input type="checkbox"/> experience inability to keep legs still |
| <input type="checkbox"/> morning very loud snorer | <input type="checkbox"/> nocturnal seizures |
| <input type="checkbox"/> awaken with headaches | <input type="checkbox"/> bitten tongue during sleep |
| <input type="checkbox"/> have high blood pressure | |
| <input type="checkbox"/> awaken with choking sensation | WOMEN |
| <input type="checkbox"/> driving accidents or near-accidents due to | <input type="checkbox"/> sleep problem varies with menstrual cycle |
| <input type="checkbox"/> sleepiness | <input type="checkbox"/> sleep problem started or got worse at menopause |
| <input type="checkbox"/> paralysis or inability to move on awakening | <input type="checkbox"/> currently taking hormonal pills |
| <input type="checkbox"/> driven miles past destination with little | MEN |
| <input type="checkbox"/> awareness falling asleep at inappropriate times | <input type="checkbox"/> awaken with painful penile erections |
| <input type="checkbox"/> refreshing naps | <input type="checkbox"/> have problems obtaining or maintaining erections |

MRN:
 Patient Name:

 (Patient Label)

EPWORTH SLEEPINESS SCALE

The Epworth Sleepiness Scale (ESS) is a standardized a self-administered 8-item questionnaire commonly used to assess sleepiness. ²⁹

Patients are given the following instructions:

The questionnaire asks you to rate the chances that you would doze off or fall asleep during different routine situations. Answers to the questions are rated from 0 to 3, with 0 meaning you would never doze or fall asleep in a given situation, and 3 meaning that there is a very high likelihood that you would doze or fall asleep in that situation.

Use the following scale to choose the most appropriate number for each situation:

- 0 = would **never** doze
- 1 = **slight** chance of dozing
- 2 = **moderate** chance of dozing
- 3 = **high** chance of dozing

<u>Situation</u>	<u>Chance of Dozing</u>			
	Never (0)	Slight (1)	Mod (2)	High (3)
Sitting and reading -----	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Watching TV -----	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting inactive, in a public place (e.g. a theater or meeting) ---	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
As a passenger in a car for an hour without a break -----	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lying down to rest in the afternoon when circumstances permit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting and talking to someone -----	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting quietly after a lunch without alcohol -----	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
In a car, while stopped for a few minutes in traffic -----	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MRN:
 Patient Name:

 (Patient Label)

DAILY SLEEP LOG

To help us understand your sleep problems, we need a report of the times when you sleep, nap and wake-up during sleep. In addition, we need to know the times when you drink coffee, tea and alcoholic beverages. If medication is taken, record the time medication is needed. It is important that you keep this record for 7 days. Each column begins with a new day. The first column is an example for you to study. If you have any questions, call the UCLA Sleep Disorders Center. "A" indicates AM (morning), "P" indicates PM (afternoon or evening).

DATE: Please be sure to write the date	Example: 10/7	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Bedtime	11:00 PM							
Estimated time it took to fall asleep	45 min.							
Time of awakenings during sleep and length of time you were awake	2 A – 1 hr 3 A – 1 hr							
Time of final awakening in the morning	5:30 AM							
Total night's sleep	3 hrs							
Naps, times you napped, & length of naps	2 P 45 min.							
Medications taken, times and amounts	(i.e Zolpidem, 10mg) 10:30 PM							
Coffee and tea, number of cups and time drank	7:00 A - 1							
Alcoholic drinks, number and time drank	8:00 P – 1 9:00 P – 1 10:00 P – 1							

Evening activities for each day:

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____

MRN:
 Patient Name:

 (Patient Label)

Over the last 2 weeks, how often have you been bothered by any of the following problems?

	Not at all	Several days	More than Half the days	Nearly Every day
1. Little interest or pleasure in doing things:	0	1	2	3
2. Feeling down, depressed, or hopeless:	0	1	2	3
3. Trouble falling asleep, staying asleep... or sleeping too much:	0	1	2	3
4. Feeling tired or having little energy:	0	1	2	3
5. Poor appetite or overeating:	0	1	2	3
6. Feeling bad about yourself: (That you are a failure or have let yourself or your family down)	0	1	2	3
7. Trouble concentrating (Reading the news or watching TV):	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you'd be better off dead or hurting yourself:	0	1	2	3

Score: ____ ____ ____ ____

How difficult have the above problems made it for you to do your work, take care of things at home, or get along with other people?

1. Not difficult at all: ____ 2. Somewhat difficult: ____ 3. Very difficult: ____ 4. Extremely difficult: ____

Total PHQ-9 Score: ____